




p

r



12 31 2024 1 1 2024

$\approx$ $\approx$ $\approx$

2016 11

50	2	2400				PTA	POY	FDY	غ	ف	≈
	PTA	800	U /		90	U /	2024		284.85		
					130.8			1224			540
	U PTA غ	210	U								U
		1100	U PTA	210	U			ف	600		60

 $\approx$

“

"

٧

“ 2023 500 ” “ 500 ” “ 2022

100 ” “ N ” “ ” “ R ”


“ 2022 ” “ 2022 ”

“ ۛ ” ۛ 8 35

1 2

1

PTA一二期



2

2 3

3 4

3 4	PTA
5 6	7 8

9

10

11

47000 U

12

13

1
~
ع

~

~ □

h ~

2 ع ù
~
~

2
~ ~

~

~

~

ع

ع

~

ع

ع

~ □

ع

ع

~ □

2

~ □

~

~ □

2

ĩ

2

ع

2

~

ĩ

~

ع 2

~ □

□

2

ǎ

ù

ج

~

2

~

ĩ

ع

ĩ

2

~

ĩ

~

ù

~

2

2

~

~

~

2

ع

ع

ù 2

ع

~

ع

ù

~

/

~

~

2

2

ǎ

2

ع

ù 2

ع

~

ĩ

ĩ

ع

2024

~ 2
~

89%

ع

ع

ع

2 ǎ ع ~

κ

ε

κ

ε

δ

		h
2022	٤٣٥	
2023	٤٣٠	
2024	٤١٥	
2023	3	
2024	“ ”	

(2)

O			
	2022	2023	2024
ف	297.02	298.02	284.71
	-0.70	-0.12	-1.40
	16.28	12.71	13.82

(3) ٥

٤ ٤ PTA ٤

٤ ٤ ٥

No	O	٤	٥	
1	10KV	ZL 2023 2 2464351.5	2024.4.19	
2		ZL 2023 2 2579045.6	2024.4.19	

11	2021	غ	2022.8
13	2021	ل	2022.1
14		غ	2022.9
15		غ	2022.9
16	2021-2022		2022.12
17	2022		2023.1
18	2022		2023.6
19	2022	غ	2023.8
20	2022	غ	2023.9
21		غ	2023.10
22	2023	ل	2023.9
23	500	ل	2023.9
24		ل	2023.10
25	2023		2024.2
26		غ	2024.2
27	2023		2024.3
28	2023		2024.3
29		غ	2024.1
30	2023	ل	2024.3
31	2023		2024.4
32		ل	2024.8
33	2024	ل	2025.2

٢

٢

غ

٢

ل